


NARMS - EB 1997

Veterinary Isolates


**Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)**



NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates


Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates


**Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)**



NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates


Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)




↓ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint